



# Accredited Sites for Advanced Training

## NEONATAL PERINATAL MEDICINE February 2024

Core Training in Neonatal Perinatal Medicine can only be undertaken in an accredited training setting. Applicants are advised that the position applied for must be appropriate within these settings for Core Training to be approved.

| HOSPITAL                       | STATE | STATUS     | MAXIMUM TOTAL TIME (MONTHS) | MAXIMUM TIME FOR CORE PERINATAL TRAINING (MONTHS) | MAXIMUM TIME FOR CORE RETRIEVAL TRAINING (MONTHS) | MAXIMUM TIME FOR CORE NEONATAL SURGICAL   | TYPE OF TRAINING  | ACCREDITED TO    |
|--------------------------------|-------|------------|-----------------------------|---|---|---|---|------------------|
| Canberra Hospital              | ACT   | Accredited | 24                          | 18  | Nil   | <b>12 training months</b> is equivalent to <b>3 months</b> neonatal surgical training | <ul style="list-style-type: none"> <li>• <b>12 training months</b> is likely to result in <b>15 retrievals</b></li> <li>• <b>12 training months</b> is likely to result in <b>50% of long term follow up activities</b>, including:               <ul style="list-style-type: none"> <li>○ Discharge planning</li> <li>○ Outpatients</li> <li>○ Long term developmental</li> </ul> </li> </ul>              | 2025             |
| John Hunter Hospital Newcastle | NSW   | Accredited | 24                          | 18  | Nil   | <b>12 training months</b> is equivalent to <b>6 months</b> neonatal surgical training | <ul style="list-style-type: none"> <li>• <b>12 training months</b> is likely to result in <b>20-25 retrievals</b></li> <li>• <b>18 training months</b> is likely to result in <b>100% of long term follow up activities</b>, including:               <ul style="list-style-type: none"> <li>○ Discharge Planning</li> <li>○ Outpatient setting</li> <li>○ Long term developmental</li> </ul> </li> </ul>   | 2027             |
| Liverpool Hospital             | NSW   | Accredited | 24                          | 12  | Nil   | <b>Not accredited</b> for neonatal surgical training                                  | <ul style="list-style-type: none"> <li>• <b>12 training months</b> is likely to result in <b>0 (nil) retrievals</b></li> <li>• <b>18 training months</b> is likely to result in <b>100% of long term follow up activities</b>, including:               <ul style="list-style-type: none"> <li>○ Discharge planning</li> <li>○ Outpatient setting</li> <li>○ Long term developmental</li> </ul> </li> </ul> | Extended to 2024 |

| HOSPITAL                     | STATE | STATUS     | MAXIMUM TOTAL TIME (MONTHS) | MAXIMUM TIME FOR CORE PERINATAL TRAINING (MONTHS) | MAXIMUM TIME FOR CORE RETRIEVAL TRAINING (MONTHS) | MAXIMUM TIME FOR CORE NEONATAL SURGICAL   | TYPE OF TRAINING  | ACCREDITED TO |
|------------------------------|-------|------------|-----------------------------|---|---|---|---|---------------|
| Nepean Hospital              | NSW   | Accredited | 18                          | 12  | Nil   | <b>Not accredited</b> for neonatal surgical training                                  | <ul style="list-style-type: none"> <li>• <b>12 training months</b> is likely to result in <b>0 (nil) retrievals</b></li> <li>• <b>18 training months</b> is likely to result in <b>100% of long term follow up activities</b>, including: <ul style="list-style-type: none"> <li>○ Discharge planning</li> <li>○ Outpatient setting</li> <li>○ Long term developmental</li> </ul> </li> </ul> | 2027          |
| Royal Hospital for Women     | NSW   | Accredited | 24                          | 18  | Nil   | <b>12 training months</b> is equivalent to <b>6 months</b> neonatal surgical training | <ul style="list-style-type: none"> <li>• <b>12 training months</b> is likely to result in <b>0 (nil) retrievals</b></li> <li>• <b>18 training months</b> is likely to result in <b>100% of long term follow up activities</b>, including: <ul style="list-style-type: none"> <li>○ Discharge Planning</li> <li>○ Outpatient setting</li> <li>○ Long term developmental</li> </ul> </li> </ul> | 2026          |
| Royal North Shore Hospital   | NSW   | Accredited | 18                          | 12  | Nil   | <b>Not accredited</b> for neonatal surgical training                                  | <ul style="list-style-type: none"> <li>• <b>12 training months</b> is likely to result in <b>0 (nil) retrievals</b></li> <li>• <b>12 training months</b> is likely to result in <b>100% of long term follow up activities</b>, including: <ul style="list-style-type: none"> <li>○ Discharge Planning</li> <li>○ Outpatient</li> <li>○ Long term Developmental</li> </ul> </li> </ul>         | 2025          |
| Royal Prince Alfred Hospital | NSW   | Accredited | 24                          | 18  | Nil   | <b>Not accredited</b> for neonatal surgical training                                  | <ul style="list-style-type: none"> <li>• <b>12 training months</b> is likely to result in <b>0 (nil) retrievals</b></li> <li>• <b>18 training months</b> is likely to result in <b>100% of long term follow up activities</b>, including: <ul style="list-style-type: none"> <li>○ Discharge Planning</li> <li>○ Outpatient</li> <li>○ Long term Developmental</li> </ul> </li> </ul>         | 2027          |

| HOSPITAL   | STATE | STATUS     | MAXIMUM TOTAL TIME (MONTHS) | MAXIMUM TIME FOR CORE PERINATAL TRAINING (MONTHS) | MAXIMUM TIME FOR CORE RETRIEVAL TRAINING (MONTHS) | MAXIMUM TIME FOR CORE NEONATAL SURGICAL   | TYPE OF TRAINING  | ACCREDITED TO    |
|--|-------|------------|-----------------------------|---|---|---|---|------------------|
| The Children's Hospital at Westmead                                | NSW   | Accredited | 12                          | Nil   | 6   | <b>6 training months</b> is equivalent to <b>6 months</b> neonatal surgical training  | <ul style="list-style-type: none"> <li>• <b>12 training months</b> is likely to result in <b>0 (nil) retrievals</b></li> <li>• <b>12 training months</b> is likely to result in <b>0 (nil) of long term follow up activities</b></li> </ul>   | 2026             |
| Westmead Hospital  | NSW   | Accredited | 24                          | 18  | Nil   | <b>Not accredited</b> for neonatal surgical training                                  | <ul style="list-style-type: none"> <li>• <b>12 training months</b> is likely to result in <b>0 (nil) retrievals</b></li> <li>• <b>18 training months</b> is likely to result in <b>100% of long term follow up activities</b>, including: <ul style="list-style-type: none"> <li>○ Discharge planning</li> <li>○ Outpatient setting</li> <li>○ Long term developmental</li> </ul> </li> </ul> | 2027             |
| Newborn Emergency Retrieval Service (NETS) New South Wales         | NSW   | Accredited | 12                          | Nil   | 6   | <b>Not accredited</b> for neonatal surgical training                                  | <ul style="list-style-type: none"> <li>• <b>Neonatal retrieval services</b></li> <li>• <b>6 training months</b> is likely to result in <b>25 retrievals</b></li> </ul>  | Extended to 2024 |
| Gold Coast University Hospital                                     | QLD   | Accredited | 18                          | 12  | Nil   | <b>12 training months</b> is equivalent to <b>4 months</b> neonatal surgical training | <ul style="list-style-type: none"> <li>• <b>12 training months</b> is likely to result in <b>0 (nil) retrievals</b></li> <li>• A Trainee could be reasonably expected to meet the requirements for follow-up activities in <b>12 months</b>. (Trainee to check with the setting regarding requirements)</li> </ul>  | 2027             |
| Neonatal Retrieval Emergency Service Southern Queensland (NeoRESQ) | QLD   | Accredited | 12                          | Nil   | 6   | <b>Not accredited</b> for neonatal surgical training                                  | <ul style="list-style-type: none"> <li>• <b>Neonatal retrieval services</b></li> <li>• <b>6 training months</b> is likely to result in <b>25 retrievals</b></li> </ul>  | Extended to 2024 |

| HOSPITAL                          | STATE | STATUS     | MAXIMUM TOTAL TIME (MONTHS) | MAXIMUM TIME FOR CORE PERINATAL TRAINING (MONTHS) | MAXIMUM TIME FOR CORE RETRIEVAL TRAINING (MONTHS) | MAXIMUM TIME FOR CORE NEONATAL SURGICAL   | TYPE OF TRAINING   | ACCREDITED TO    |
|-----------------------------------|-------|------------|-----------------------------|---|---|---|--|------------------|
| Mater Health Services             | QLD   | Accredited | 24                          | 18  | Nil   | <b>12 training months</b> is equivalent to <b>6 months</b> neonatal surgical training | <ul style="list-style-type: none"> <li>• <b>12 training months</b> is equivalent to <b>6 months</b> neonatal surgical training</li> <li>• <b>12 training months</b> is likely to result in <b>25 retrievals</b></li> <li>• <b>18 training months</b> is likely to result in <b>50% of long term follow up activities</b>, including: <ul style="list-style-type: none"> <li>○ Discharge planning</li> <li>○ Outpatient Setting</li> <li>○ Long Term Developmental</li> </ul> </li> </ul> | Extended to 2024 |
| Royal Brisbane & Women's Hospital | QLD   | Accredited | 24                          | 18  | Nil   | <b>Not accredited</b> for neonatal surgical training                                  | <ul style="list-style-type: none"> <li>• <b>12 training months</b> is likely to result <b>25 retrievals</b></li> <li>• <b>12 training months</b> is likely to result in <b>100% of long term follow up activities</b>, including: <ul style="list-style-type: none"> <li>○ Discharge planning</li> <li>○ Outpatient setting</li> <li>○ Long term developmental</li> </ul> </li> </ul>  | 2027             |
| Townsville Hospital               | QLD   | Accredited | 24                          | 18  | Nil   | <b>12 training months</b> is equivalent to <b>6 months</b> neonatal surgical training | <ul style="list-style-type: none"> <li>• <b>18 training months</b> is likely to result in <b>25 retrievals</b></li> <li>• <b>18 training months</b> is likely to result in <b>100% of long term follow up activities</b>, including: <ul style="list-style-type: none"> <li>○ Discharge Planning</li> <li>○ Outpatient setting</li> <li>○ Long term developmental</li> </ul> </li> </ul>   | 2024             |
| Flinders Medical Centre           | SA    | Accredited | 18                          | 12  | Nil   | <b>12 training months</b> is equivalent to <b>2 months</b> neonatal surgical training | <ul style="list-style-type: none"> <li>• <b>12 training months</b> is likely to result in <b>0 (nil) retrievals</b></li> <li>• <b>12 training months</b> is likely to result in <b>100% of long term follow up activities</b>, including: <ul style="list-style-type: none"> <li>○ Discharge planning</li> <li>○ Outpatient setting</li> <li>○ Long term developmental</li> </ul> </li> </ul>  | 2026             |

| HOSPITAL   | STATE | STATUS      | MAXIMUM TOTAL TIME (MONTHS)  | MAXIMUM TIME FOR CORE PERINATAL TRAINING (MONTHS) | MAXIMUM TIME FOR CORE RETRIEVAL TRAINING (MONTHS) | MAXIMUM TIME FOR CORE NEONATAL SURGICAL   | TYPE OF TRAINING   | ACCREDITED TO    |
|--|-------|-------------|--|---|---|---|--|------------------|
| MedSTAR<br>Emergency<br>Retrieval Service<br>South Australia<br>Ambulance<br>Service | SA    | Accredited  | 12   | Nil   | 6   | <b>Not accredited</b> for neonatal surgical training                                  | <ul style="list-style-type: none"> <li>• <b>Neonatal Retrieval Services</b></li> <li>• <b>6 training months</b> is likely to result in <b>25 retrievals</b></li> </ul>   | 2028             |
| Women's and<br>Children's<br>Hospital, Adelaide                                      | SA    | Conditional | 24   | 18  | Nil   | <b>12 training months</b> is equivalent to <b>4 months</b> neonatal surgical training | <ul style="list-style-type: none"> <li>• <b>12 training months</b> is likely to result in <b>0 (nil) retrievals</b></li> <li>• <b>12 training months</b> is likely to result in <b>0 (nil) of long term follow up activities</b></li> </ul>  | 2024             |
| Royal Hobart<br>Hospital   | TAS   | Accredited  | 24 months (trainees commencing NPM program prior to 2019)<br>18 months (trainees commencing NPM program from 2019 onwards) | 12  | Nil   | <b>12 training months</b> is equivalent to <b>3 months</b> neonatal surgical training | <ul style="list-style-type: none"> <li>• <b>18 training months</b> is likely to result in <b>25 retrievals</b></li> <li>• <b>18 training months</b> is likely to result in <b>100% of long term follow up activities</b>, including: <ul style="list-style-type: none"> <li>○ Discharge planning</li> <li>○ Outpatient setting</li> <li>○ Long term developmental</li> </ul> </li> </ul> | Extended to 2024 |

| Joan Kirner Women and Children's Hospital | VIC   | Accredited | 12                          | 6   | Nil   | <b>Not accredited</b> for neonatal surgical training                                  | <ul style="list-style-type: none"> <li>• <b>12 training months</b> is likely to result in 50% of long term follow up activities, including: <ul style="list-style-type: none"> <li>○ Discharge planning</li> <li>○ Outpatients</li> <li>○ Long term developmental</li> </ul> </li> </ul>  | 2024             |
|---|-------|------------|-----------------------------|---|---|---|---|------------------|
| HOSPITAL                                  | STATE | STATUS     | MAXIMUM TOTAL TIME (MONTHS) | MAXIMUM TIME FOR CORE PERINATAL TRAINING (MONTHS) | MAXIMUM TIME FOR CORE RETIERYAL TRAINING (MONTHS) | MAXIMUM TIME FOR CORE NEONATAL SURGICAL   | TYPE OF TRAINING  | ACCREDITED TO    |
| Mercy Hospital for Women                  | VIC   | Accredited | 24                          | 18  | Nil   | <b>Not accredited</b> for neonatal surgical training                                  | <ul style="list-style-type: none"> <li>• <b>12 training months</b> is likely to result in <b>0 (nil) retrievals</b></li> <li>• <b>18 training months</b> is likely to result in <b>100% of long term follow up activities</b>, including: <ul style="list-style-type: none"> <li>○ Discharge planning</li> <li>○ Outpatient setting</li> <li>○ Long term developmental</li> </ul> </li> </ul> | Extended to 2024 |
| Monash Medical Centre                     | VIC   | Accredited | 24                          | 18  | Nil   | <b>12 training months</b> is equivalent to <b>6 months</b> neonatal surgical training | <ul style="list-style-type: none"> <li>• <b>12 training months</b> is likely to result in <b>0 (nil) retrievals</b></li> <li>• <b>12 training months</b> is likely to result in <b>75% of long term follow up activities</b>, including: <ul style="list-style-type: none"> <li>○ Discharge planning</li> <li>○ Outpatient setting</li> <li>○ Long term developmental</li> </ul> </li> </ul>  | 2025             |
| Royal Children's Hospital                 | VIC   | Accredited | 12                          | Nil   | Nil   | <b>6 training months</b> is equivalent to <b>6 months</b> neonatal surgical training  | <ul style="list-style-type: none"> <li>• <b>12 training months</b> is likely to result in <b>0 (nil) retrievals</b></li> <li>• <b>12 training months</b> is likely to result in <b>100% of long term follow up activities</b>, including: <ul style="list-style-type: none"> <li>○ Discharge planning</li> <li>○ Outpatient setting</li> </ul> </li> </ul>                                    | 2027             |

|   |       |            |                             |   |   |   | <ul style="list-style-type: none"> <li>Long term developmental</li> </ul>  |                  |
|---|-------|------------|-----------------------------|---|---|---|--|------------------|
| Royal Women's Hospital  | VIC   | Accredited | 24                          | 18  | Nil   | <b>Not accredited</b> for neonatal surgical training                                  | <ul style="list-style-type: none"> <li><b>12 training months</b> is likely to result in <b>0 (nil) retrievals</b></li> <li><b>12 training months</b> is likely to result in <b>0 (nil) of long term follow up activities</b></li> </ul>  | 2026             |
| HOSPITAL  | STATE | STATUS     | MAXIMUM TOTAL TIME (MONTHS) | MAXIMUM TIME FOR CORE PERINATAL TRAINING (MONTHS) | MAXIMUM TIME FOR CORE RETRIEVAL TRAINING (MONTHS) | MAXIMUM TIME FOR CORE NEONATAL SURGICAL   | TYPE OF TRAINING   | ACCREDITED TO    |
| Paediatric Infant and Perinatal Emergency Retrieval (PIPER) Service | VIC   | Accredited | 12                          | Nil   | 6   | <b>Not accredited</b> for neonatal surgical training                                  | <ul style="list-style-type: none"> <li><b>Neonatal retrieval services 6 training months</b> is likely to result in <b>25 retrievals</b></li> </ul>   | Extended to 2024 |
| King Edward Memorial Hospital for Women                             | WA    | Accredited | 24                          | 18  | Nil   | <b>Not accredited</b> for neonatal surgical training                                  | <ul style="list-style-type: none"> <li><b>18 training months</b> is likely to result in <b>25 retrievals</b></li> <li><b>18 training months</b> is likely to result in <b>100% of long term follow up activities</b>, including: <ul style="list-style-type: none"> <li>Discharge planning</li> <li>Outpatient setting</li> <li>Long term developmental</li> </ul> </li> </ul> | 2028             |
| Perth Children's Hospital   | WA    | Accredited | 12                          | Nil   | Nil   | <b>12 training months</b> is equivalent to <b>6 months</b> neonatal surgical training | <ul style="list-style-type: none"> <li><b>12 training months</b> is likely to result in <b>0 (nil) retrievals</b></li> <li><b>18 training months</b> is likely to result in <b>0 (nil) of long term follow up activities</b></li> </ul>  | 2028             |
| NETS WA   | WA    | Accredited | 12                          | Nil   | 6   | <b>Not accredited</b> for neonatal surgical training                                  | <ul style="list-style-type: none"> <li><b>Neonatal retrieval services 6 training months</b> is likely to result in <b>25 retrievals</b></li> </ul>   | 2028             |

| Auckland City Hospital        | NZ    | Accredited | 24                          | 18  | Nil   | <b>12 training months</b> is equivalent to <b>6 months</b> neonatal surgical training | <ul style="list-style-type: none"> <li>• <b>12 training months</b> is likely to result in <b>25 retrievals</b></li> <li>• <b>12 training months</b> is likely to result in <b>100% of long term follow up activities</b>, including: <ul style="list-style-type: none"> <li>○ Discharge planning</li> <li>○ Outpatient setting</li> <li>○ Long term developmental</li> </ul> </li> </ul>     | Extended to 2024 |
|-------------------------------|-------|------------|-----------------------------|---|---|---|--|------------------|
| HOSPITAL                      | STATE | STATUS     | MAXIMUM TOTAL TIME (MONTHS) | MAXIMUM TIME FOR CORE PERINATAL TRAINING (MONTHS) | MAXIMUM TIME FOR CORE RETRIEVAL TRAINING (MONTHS) | MAXIMUM TIME FOR CORE NEONATAL SURGICAL   | TYPE OF TRAINING   | ACCREDITED TO    |
| Christchurch Women's Hospital | NZ    | Accredited | 24                          | 18  | Nil   | <b>18 training months</b> is equivalent to <b>6 months</b> neonatal surgical training | <ul style="list-style-type: none"> <li>• <b>18 training months</b> is likely to result in <b>25 retrievals</b></li> <li>• <b>18 training months</b> is likely to result in <b>75% of long term follow up activities</b>, including: <ul style="list-style-type: none"> <li>○ Discharge planning</li> <li>○ Outpatient setting</li> <li>○ Long term developmental</li> </ul> </li> </ul>      | Extended to 2024 |
| Middlemore Hospital           | NZ    | Accredited | 18                          | 12  | Nil   | <b>Not accredited</b> for neonatal surgical training                                  | <ul style="list-style-type: none"> <li>• <b>12 training months</b> is likely to result in <b>0 (nil) retrievals</b></li> <li>• <b>12 training months</b> is likely to result in <b>50% of long term follow up activities</b>, including: <ul style="list-style-type: none"> <li>○ Discharge planning</li> <li>○ Outpatient setting</li> <li>○ Long term developmental</li> </ul> </li> </ul> | Extended to 2024 |
| Waikato Hospital              | NZ    | Accredited | 24                          | 18  | Nil   | <b>18 training months</b> is equivalent to <b>6 months</b> neonatal surgical training | <ul style="list-style-type: none"> <li>• <b>18 training months</b> is likely to result in <b>25 retrievals</b></li> <li>• <b>18 training months</b> is likely to result in <b>100% of long term follow up activities</b>, including: <ul style="list-style-type: none"> <li>○ Discharge planning</li> <li>○ Outpatient setting</li> <li>○ Long term developmental</li> </ul> </li> </ul>     | 2026             |
| Wellington Hospital           | NZ    | Accredited | 24                          | 18  | Nil   | <b>18 training months</b> is equivalent to <b>6 months</b> neonatal                   | <ul style="list-style-type: none"> <li>• <b>18 training months</b> is likely to result in <b>25 retrievals</b></li> <li>• <b>18 training months</b> is likely to result in <b>100% of long term follow up activities</b>, including: <ul style="list-style-type: none"> <li>○ Discharge planning</li> </ul> </li> </ul>  | Extended to 2024 |



|  |             |            |                             |   |   | surgical training   | <ul style="list-style-type: none"> <li>○ Outpatient setting</li> <li>○ Long term developmental</li> </ul>  |                  |
|--|-------------|------------|-----------------------------|---|---|---|--|------------------|
| British Columbia Children's & Women's Hospital | Canada      | Accredited | 18                          | 12  | Nil   | <b>12 training months</b> is equivalent to <b>6 months</b> neonatal surgical training | <ul style="list-style-type: none"> <li>• <b>12 training months</b> is likely to result in <b>0 (nil) retrievals</b> (depending on involvement of trainee in transport services)</li> <li>• <b>12 training months</b> is likely to result in <b>50% of long term follow up activities</b>, including: <ul style="list-style-type: none"> <li>○ Discharge planning</li> <li>○ Outpatient setting</li> <li>○ Long term developmental</li> </ul> </li> </ul> | 2028             |
| HOSPITAL                                       | STATE       | STATUS     | MAXIMUM TOTAL TIME (MONTHS) | MAXIMUM TIME FOR CORE PERINATAL TRAINING (MONTHS) | MAXIMUM TIME FOR CORE RETRIEVAL TRAINING (MONTHS) | MAXIMUM TIME FOR CORE NEONATAL SURGICAL   | TYPE OF TRAINING   | ACCREDITED TO    |
| Evelina London Children's Hospital             | London, UK  | Accredited | 18                          | 12  | Nil   | <b>12 training months</b> is equivalent to <b>6 months</b> neonatal surgical training | <ul style="list-style-type: none"> <li>• <b>12 training months</b> is likely to result in <b>0 (nil) retrievals</b></li> <li>• <b>18 training months</b> is likely to result in <b>0 (nil) of long term follow up activities</b></li> </ul>  | 2026             |
| Hospital for Sick Children, Toronto            | Canada      | Accredited | 18                          | 12  | Nil   | <b>6 training months</b> is equivalent to <b>6 months</b> neonatal surgical training  | <ul style="list-style-type: none"> <li>• <b>12 training months</b> is likely to result in <b>100% of retrievals</b></li> <li>• <b>18 training months</b> is likely to result in <b>100% of long term follow up activities</b></li> </ul>   | Extended to 2024 |
| Royal Hospital for Children, Glasgow           | Glasgow, UK | Accredited | 18                          | 12  | Nil   | <b>12 training months</b> is equivalent to <b>6 months</b> neonatal surgical training | <ul style="list-style-type: none"> <li>• <b>12 training months</b> is likely to result in <b>0 (nil)% of retrievals</b></li> <li>• <b>12 training months</b> is likely to result in <b>0 (nil)% of long term follow up activities</b></li> </ul>   | Extended to 2024 |

| University College Hospital | London, UK  | Accredited | 18                          | 12  | Nil   | <b>Not accredited for surgical training</b>   | <ul style="list-style-type: none"> <li>• <b>12 training months</b> is likely to result in <b>0 (nil)% of retrievals</b></li> <li>• <b>12 training months</b> is likely to result in <b>25% of long term follow up activities</b></li> </ul>      | Extended to 2024 |
|-----------------------------|-------------|------------|-----------------------------|---|---|---|--|------------------|
| HOSPITAL                    | STATE       | STATUS     | MAXIMUM TOTAL TIME (MONTHS) | MAXIMUM TIME FOR CORE PERINATAL TRAINING (MONTHS) | MAXIMUM TIME FOR CORE RETRIEVAL TRAINING (MONTHS) | MAXIMUM TIME FOR CORE NEONATAL SURGICAL   | TYPE OF TRAINING   | ACCREDITED TO    |
| St George's Hospital        | London, UK  | Accredited | 18                          | 12  | Nil   | <b>12 training months</b> is equivalent to <b>6 months</b> neonatal surgical training | <ul style="list-style-type: none"> <li>• <b>12 training months</b> is likely to result in <b>0 (nil)% of retrievals</b></li> <li>• <b>12 training months</b> is likely to result in <b>0 (nil)% of long term follow up activities</b></li> </ul> | Extended to 2024 |
| St Michael's Hospital       | Bristol, UK | Accredited | 18                          | 12  | Nil   | <b>12 training months</b> is equivalent to <b>6 months</b> neonatal surgical training | <ul style="list-style-type: none"> <li>• <b>12 training months</b> is likely to result in <b>0 (nil)% of retrievals</b></li> <li>• <b>12 training months</b> is likely to result in <b>25% of long term follow up activities</b></li> </ul>      | Extended to 2024 |

For further details, please contact the Education Officer to the Advanced Training Committee in Neonatal Perinatal Medicine, via email [NeonatalPerinatal@racp.edu.au](mailto:NeonatalPerinatal@racp.edu.au)